

CLASSIFICATION: 04 22 00 Concrete Unit Masonry

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Angelus Block is the prominent producer of concrete masonry units (cmu), interlocking concrete pavers, permeable pavers, decorative site wall units, and segmental planter wall units in California. Angelus Block is committed to advancing its products in support of sustainability goals, and green rating system value. In addition to our collection of HPDs, we are the first to publish a Type III EPD based on North America's first PCR for concrete masonry products. This HPD covers Medium Weight white cmu in Precision, Split Face, Burnished, and Shotblast textures. Units are available in multiple widths and heights.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

- Considered  
 Partially Considered  
 Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes  No

Are All Substances Above the Threshold Indicated:

**Characterized**  
Percent Weight and Role Provided?  Yes  No

**Screened**  
Using Priority Hazard Lists with Results Disclosed?  Yes  No

**Identified**  
Name and Identifier Provided?  Yes  No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL** | **SUBSTANCE** | **RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE** | **HAZARD TYPE**

CONCRETE MASONRY UNIT (CMU) - MEDIUM WEIGHT (WHITE) [ LIMESTONE; CALCIUM CARBONATE **LT-UNK** PORTLAND CEMENT **LT-P1** | CAN | END PUMICE **LT-UNK** GYPSUM **LT-UNK** SODIUM DODECYLBENZENE SULFONATE **LT-P1** | MUL QUARTZ **LT-1** | CAN ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen  
Benchmark or List translator Score..... LT-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Multi-attribute: Type III Environmental Product Declaration (EPD)

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2017-09-05

PUBLISHED DATE: 2017-09-12

EXPIRY DATE: 2020-09-05

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### CONCRETE MASONRY UNIT (CMU) - MEDIUM WEIGHT (WHITE)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities that are known or expected to be present that return a GS score of BM-1, LT-1 or LT-P1 have been disclosed, based on information provided in supplier MSDS/SDS. Efforts are being made to better understand residuals/impurities as they actually occur in our cmu, and findings will be disclosed in future revisions of this HPD.

OTHER PRODUCT NOTES: Percent by weight of substances reported as ranges in order to protect the proprietary nature of this formulation.

#### LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

#: 70.0000 - 80.0000 GS: LT-UNK RC: None NANO: No ROLE: Aggregate; Pigment; Component of Portland Cement

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Calcite aggregate. Identified on the U.S. EPA Safer Choice Ingredient List. Substance encapsulated within the cmu.

#### PORTLAND CEMENT

ID: 65997-15-1

#: 8.0000 - 12.0000 GS: LT-P1 RC: None NANO: No ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Substance encapsulated within the cmu. NIST lists the composition of Portland Cement as including: Calcium Oxide (64%) [1305-78-8; LT-UNK | NO]; Silicon Dioxide (20%) [7631-86-9; LT-P1 | NO]; Aluminum Oxide (5%) [1344-28-1; LT-UNK | RES]; Iron III Oxide (4%) [1309-37-1; BM-2 | CAN]; Sulfur Trioxide (3%) [7446-11-9; LT-UNK | NO]; and Magnesium Oxide (1%) [1309-48-4; LT-UNK | NO]. Supplier SDS states the following: "Trace Elements: Portland cement is made from materials mined from the earth and is processed using energy provided by fuels. Trace amounts of naturally occurring, potentially harmful chemicals might be detected during chemical analysis. For example, Portland cement may contain up to 1.50% insoluble residue, some of which may be free crystalline silica. Other trace constituents may include calcium oxide, free magnesium oxide, potassium and sodium sulfate compounds, and trace metal compounds."

#### PUMICE

ID: 1332-09-8

#: 8.0000 - 20.0000 GS: LT-UNK RC: None NANO: No ROLE: Lightweight Aggregate

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Identified on the U.S. EPA Safer Choice Ingredient List. Substance encapsulated within the cmu.

**GYPSUM**

ID: **13397-24-5**

#: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Component of Portland Cement**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Substance encapsulated within the cmu.

**SODIUM DODECYLBENZENE SULFONATE**

ID: **25155-30-0**

#: **0.0100 - 0.0200** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Admixture: Plasticizer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: Identified on the U.S. EPA Safer Choice Ingredient List. Substance encapsulated within the cmu.

**QUARTZ**

ID: **14808-60-7**

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Impurity/Residual**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

New Zealand - GHS

6.7A - Known or presumed human carcinogens

CANCER

Australia - GHS

H350 - May cause cancer

SUBSTANCE NOTES: Potential impurity of raw materials. Quartz is one of several compounds with warnings restricted to respirable forms; i.e. "Silica, crystalline (airborne particles of respirable size)." Awaiting full GreenScreen Assessment for form specific hazards for this compound (<http://ow.ly/Z5ken>). Substance encapsulated within the cmu.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

MULTI-ATTRIBUTE	Type III Environmental Product Declaration (EPD)		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-	EXPIRY DATE:	CERTIFIER OR LAB: ASTM
APPLICABLE FACILITIES: Tuxford Plant (Sun Valley, CA 91352); Sheldon Plant (Sun Valley, CA 91352); Orange Plant (Orange, CA 92865); Fontana Plant (Fontana, CA 92335); Gardena Plant (Gardena, CA 90248); Oxnard Plant (Oxnard, CA 93036); Indio Plant (Indio, CA 92202)	03-16	2020-03-16	International
CERTIFICATE URL:			
www.angelusblock.com/docs/Angelus_Block_CMU_Type_III_EPD.pdf			
CERTIFICATION AND COMPLIANCE NOTES: This document is a product-specific Type III environmental product declaration (EPD) for 69 concrete masonry unit (CMU) mix designs manufactured by Angelus Block Co., Inc. This declaration has been prepared in accordance with ISO 14025, ISO 21930, and ASTM International's EPD program operator rules. Declared Unit: 1 m3 of concrete formed into manufactured concrete and concrete masonry products. ASTM Declaration Number: EPD-010.			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

SPEC MIX® PREBLENDED MORTAR	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Use for installation of concrete masonry units.	

SPEC MIX® IWR PREBLENDED MORTAR	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Use for installation of concrete masonry units where an integral water repellent is desired.	

## Section 5: General Notes

## Section 6: References

# MANUFACTURER INFORMATION

MANUFACTURER: **Angelus Block Co., Inc.**

ADDRESS: **11374 Tuxford Street**

**Sun Valley CA 91352, USA**

WEBSITE: **www.AngelusBlock.com**

CONTACT NAME: **John Surratt**

TITLE: **Architectural Sales Manager**

PHONE: **714-637-8594**

EMAIL: **jsurratt@angelusblock.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

## GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

## Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

## Other Terms

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes*

sections, and/or, where applicable, in the Certifications section.

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*